

Published papers

- (1) Wang, J.Y., Liu, L.J., Gao, Z., Jie, D.M. Effects of available soil silicon on the formation of phytoliths in *Phragmites australis* (Cav.) Trin. Ex Steud, Poaceae. *Botany Letters*, 2017, 166(1), 51–63.
- (2) Liu, L.D., Jie, D.M., Liu, H.Y., Gao, Z., Gao, G.Z., Li, N.N., Guo, J.X., Qiao, Z.H. An orthogonal experimental study of phytolith size of *Phragmites communis* in northeast China. *Boreas*, 2016, 45, 122–132.
- (3) Liu, L.D., Jie, D.M., Liu, H.Y., Gao, G.Z., Gao, Z., Li, D.H., Li, N.N., Qiao, Z.H., Guo, J.X. Response of phytoliths in *Phragmites australis* to environmental factors in northeast China. *Ecological Engineering*, 2016, 92, 119–131.
- (4) Liu, L.D., Jie, D.M., Liu, H.Y., Gao, G.Z., Gao, Z., Li, D.H., Li, N.N., Guo, J.X., Qiao, Z.H. Assessing the importance of environmental factors to phytoliths of *Phragmites communis* in north-eastern China. *Ecological Indicators*, 2016, 69, 500–507.
- (5) Liu, H.Y., Jie, D.M., Liu, L.D., Li, N.N., Wang, T., Qiao, Z.H. The shape factors of phytoliths in selected plants from the Changbai Mountains and their implications. *Review of Palaeobotany and Palynology*, 2016, 226, 44–53.
- (6) Liu, H.Y., Jie, D.M., Liu, L.D., Gao, Z., Gao, G.Z., Shi, L.X., Guo, J.X., Qiao, Z.H. The Research on Phytoliths Size Variation Characteristics in *Phragmites communis* Under Warming Conditions. *Silicon*, 2016. DOI 10.1007/s12633-016-9472-2.
- (7) Liu L.D., Jie D.M., Liu H.Y., Lu M.J., Gao Z., Gao G.Z., Li D.H., Guo, J.X., Qiao Z.H. Spatial and Temporal Distribution Differences Among Phytoliths of *Phragmites Communis* in Northeast China. *Silicon*, 2015, 1–10.
- (8) Li, B., Feng, Y.Y., Guo, J.X., Jie, D.M., Shi, L.X. Responses of Phytolith in Guinea Grass (*Leymus chinensis*) Leaves to Simulated Warming, Nitrogen Deposition and Elevated CO₂ Concentration in Songnen Grassland, Northeast China. *Chinese Geographical Science*, 2015, 25(4), 404–413.
- (9) Li, N.N., Jie, D.M., Ge, Y., Guo, J.X., Liu, H.Y., Liu, L.D., Qiao, Z.H. Response of phytoliths in *Phragmites communis* to elevated CO₂ concentration in Songnen Grassland, China. *Quaternary International*, 2014, 321, 97–104.
- (10) Liu, L.D., Jie, D.M., Liu, H.Y., Li, N.N., Guo, J.X. Response of phytoliths in *Phragmites communis* to humidity in NE China. *Quaternary International*, 2013, 304, 193–199.
- (11) Ge, Y., Jie, D.M., Guo, J.X., Liu, H.M., Shi, L.X. Response of phytoliths in *Leymus chinensis* to the simulation of elevated global CO₂ concentrations in Songnen Grassland, China. *Chinese Science Bulletin*, 2010, 55(32), 3703–3708.
- (12) Jie, D.M., Liu, Z.Y., Shi, L.X., Liu, H.M., Ge, Y. Characteristics of phytoliths in *Leymus chinensis* from different habitats on the Songnen Plain in Northeast China and their environmental implications. *Science China Earth Sciences*, 2010, 53(7), 984–992.
- (13) Chen, N.K., Zhong, L.X., Jie, D.M., Wang, J.Y., Li, D.H., Gao, G.Z., Chen, J., Chen, Y.F., Halian, B., Wang, F. Characteristics of phytolith-occluded organic carbon sequestration in typical plant communities in the Songnen grassland, China. *Ecological Engineering*, 2021, 173, 106442.
- (14) Qiao, Z.H., Jie, D.M., Liu, H.M., Ge, Y., Zhang, H.Y. Morphological Characteristics and Environmental Implications of Phytoliths in Topsoils from Different Vegetation Zones on Northern Slope of Changbai Mountains, China. *Chinese Geographical Science*, 2010, 20(6), 506–512.

- (15) Guo, M.E., Jie, D.M., Liu, H.M., Luo, S., Li, N. Phytoliths Analysis of Selected Wetland Plants in Changbai Mountain region and its Implication for Palaeoenvironment. *Quaternary International*, 2012, 250, 119–128.
- (16) Ge, Y., Jie, D.M., Sun, Y.L., Liu, H.M. Phytoliths in woody plants from the northern slope of the Changbai Mountain (Northeast China) and their implication. *Plant Systematics and Evolution*, 2011, 292, 55–62.
- (17) Gao, G.Z., Jie, D.M., Liu, L.D., Liu, H.Y., Gao, Z., Li, D.H., Li, N.N. Phytolith characteristics and preservation in trees from coniferous and broad-leaved mixed forest in an eastern mountainous area of Northeast China. *Review of Palaeobotany and Palynology*, 2018, 255, 43–56.
- (18) Gao, G. Z., Jie, D.M., Li, D.H., Li, N.N., Liu, L.D., Liu, H.Y., Leng, C.C., Wang, J.Y., Liu, B.J., Li, P. Assessing modern arboreal phytolith sensitivity to vegetation variations in temperate forest regions. *Boreas*, 2019, 48, 731–745.
- (19) Liu, Y., Liu, H.Y., Jie, D.M., Gao, G.Z., Meng, M., Zhang, G.H. Phytolith morphotypes of woody plants and their preservation in soil in the warm temperate humid zones of China. *Quaternary International*, 2021, 599–600, 158–169.
- (20) Niu, H.H., Shi, J.C., Jie, D.M. Computer-assisted classification and discrimination of common phytoliths in the surface soils of different vegetation types in Northeast China. *Review of Palaeobotany and Palynology*, 2021, 284, 104326.
- (21) Gao, G.Z., Jie, D.M., Wang, Y., Liu, L.D., Liu, H.Y., Li, D.H., Li, N.N., Shi, J.C., Leng, C.C. Do soil phytoliths accurately represent plant communities in a temperate region? A case study of Northeast China. *Vegetation History and Archaeobotany*, 2018, 27(6), 735–765.
- (22) Li, D.H., Jie, D.M., Liu, L.D., Liu, H.Y., Gao, G.Z., Gao, Z., Li, N.N. Herbaceous phytoliths from forest and grassland in Northeast China: Potential significance for determining past forest–grassland boundaries. *Flora*, 2018, 243, 19–31.
- (23) Gao, G.Z., Jie, D.M., Wang, Y., Liu, L.D., Liu, H.Y., Li, D.H., Li, N.N., Shi, J.C., Leng, C.C. Phytolith reference study for identifying vegetation changes in the forest-grassland region of northeast China. *Boreas*, 2018, 47, 481–497.
- (24) Gao, G.Z., Jie, D.M., Liu, L.D., Liu, H.Y., Li, D.H., Li, N.N., Shi, J.C., Leng, C.C., Qiao, Z.H. Assessment and calibration of representational bias in soil phytolith assemblages in Northeast China and its implications for paleovegetation reconstruction. *Quaternary Research*, 2018, 90(1), 38–49.
- (25) Feng, Y.Y., Jie, D.M., Guo, M.E., Dong, S.P., Chen, X., Liu, H.Y. Phytolith loss and enrichment in soil phytolith assemblages revealed by comparisons of phytoliths in vegetation and surface soils of altitudinal belts in the Changbai Mountains, Northeast China. *Flora*, 2017, 236–237, 84–93.
- (26) Liu, L.D., Jie, D.M., Liu, H.Y., Gao, G.Z., Li, D.H., Li, N.N. Translocation and preservation of soil phytoliths in temperate regions and its implications for palaeoenvironment reconstruction. *Catena*, 2020, 195, 104868.
- (27) Liu, L.D., Li, D.H., Jie, D.M., Liu, H.Y., Gao, G.Z., Li, N.N. Translocation of Phytoliths Within Natural Soil Profiles in Northeast China. *Frontiers in Plant Science*, 10, 1254. doi: 10.3389/fpls.2019.01254.
- (28) Liu, L.D., Jie, D.M., Liu, H.Y., Gao, G.Z., Li, D.H., Li, N.N. Phytolith transport and its influence factor in different soil types in northern temperate region. *Quaternary International*, 2021, 170–183, 599–600.
- (29) Gao, G.Z., Li, D.H., Jie, D.M., Li, N.N., Liu, L.N., Liu, H.Y., Wang, J.Y., Niu, H.H., Meng M., Liu, Y., Zhang, G.H. Application of soil phytoliths to the quantitative characterization of temperate

- grassland ecosystems: a case study in Northeast China. *Plant and Soil*, 2021, 459, 329–342.
- (30) Liu, L.D., Jie, D.M., Liu, H.Y., Gao, G.Z., Li, D.H., Li, N.N. An evaluation of soil phytoliths for reconstructing plant communities and palaeoclimate in the northern temperate region. *European Journal of Soil Science*, 2020, 1–18.
- (31) Liu, H.Y., Jie, D.M., Liu, L.D., Gao, G.Z., Li, D.H., Li, N.N. Temperature sensitivity of surface soil phytoliths: A case study in Northeast China. *Quaternary International*, 2023, 667, 51–60.
- (32) Song, L.N., Jie, D.M., Gao, G.Z., Liu, L.D., Liu, H.Y., Li, D.H., Liu, Y. Application of a topsoil phytolith dataset to quantitative paleoclimate reconstruction in Northeast China. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2022, 601, 111108.
- (33) Gao, G. Z., Jie, D.M., Li, D.H., Li, N.N., Liu, L.D., Liu, H.Y., Shi, J.C., Leng, C.C., Wang, J.Y., Liu, B.J., Li, P. Reliability of phytoliths for reconstructing vegetation dynamics in northern temperate forest regions: A case study in northeast China. *Quaternary Science Reviews*, 2018, 201, 1–12.
- (34) Gao, G.Z., Wang, M.L., Li, D.H., Li, N.N., Wang, J.Y., Niu, H.H., Meng, M., Liu, Y., Zhang, G.H., Jie, D.M. Phytolith evidence for changes in the vegetation diversity and cover of a grassland ecosystem in Northeast China since the mid-Holocene. *Catena*, 2023, 226, 107061.
- (35) Gao, G.Z., Niu, H.H., Song, L.N., Wang, J.Y., Meng, M., Yang, Z., Liu, L.L., Wei, Y.X., Chen, N.K., Yu, J.H., Jie, D.M. Solar forcing and ENSO regulated rates of change of ecosystems in Northeast China since the last deglaciation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2023, 627, 111728.
- (36) Gao, G.Z., Rand, E., Li, N.N., Li, D.H., Wang, J.Y., Niu, H.H., Meng, M., Liu, Y., Jie, D.M. East Asian monsoon modulated Holocene spatial and temporal migration of forest-grassland ecotone in Northeast China. *Catena*, 2022, 213, 106151.
- (37) Gao, G.Z., Jie, D.M., Li, D.H., Li, N.N., Liu, L.D., Liu, H.Y., Wang, J.Y., Niu, H.H., Meng, M., Liu, Y., Zhang, G.H. Reconstruction of local-scale plant community characteristics using phytolith: A case study of a forested region in Northeast China. *Catena*, 2021, 203, 105146.
- (38) Li, N.N., Sack, D., Gao, G.Z., Liu, L.D., Li, D.H., Yang, X.Y., Jie, D.M., Liu, H.Y., Shi, J.C., Leng, C.C. Holocene *Artemisia*-Chenopodiaceae dominated grassland in North China: Real or imaginary? *The Holocene*, 2017, 28(5), 834–841.
- (39) Li, N.N., Chambers, F.M., Yang, J.X., Jie, D.M., Liu, L.D., Liu, H.Y., Gao, G.Z., Gao, Z., Li, D.H., Shi, J.C., Feng, Y.Y., Qiao, Z.H. Records of East Asian monsoon activities in Northeastern China since 15.6 ka, based on grain size analysis of peaty sediments in the Changbai Mountains. *Quaternary International*, 2017, 447, 158–169.
- (40) Li, D.H., Jie, D.M., Wang, Y., Liu, L.D., Liu, H.Y., Gao, G.Z., Gao, Z., Li, N.N., Shi, J.C. Holocene climate reconstruction based on herbaceous phytolith indices from an AMS ¹⁴C-dated peat profile in the Changbai Mountains, northeast China. *Quaternary International*, 2017, 447, 144–157.
- (41) Li, N.N., Sack, D., Sun, J.J., Liu, S.S., Liu, B.J., Wang, J.Y., Gao, G.Z., Li, D.H., Song, Z.J., Jie, D.M. Quantifying the carbon content of aeolian sediments: Which method should we use? *Catena*, 2020, 185, 104276.
- (42) Li, N.N., Xie, M.M., Sack, D., Dubois, N., Yang, X.Y., Gao, G.Z., Li, D.H., Liu, L.D., Liu, H.Y., Leng, C.C., Wang, J.Y., Liu, B.J., Jie, D.M. Continuous aridification since the mid-Holocene as the main cause of C₃/C₄ dynamics in the grasslands of northeastern China. *European Journal Of Soil Science*, 2020, 1–16.
- (43) Li, N.N., Song, L.N., Sack, D., Lu, Z.Y., Yu, F.L., Gao, G.Z., Li, D.H., Li, M.Z., Yang, Y., Zong,

- Y.Z., Jie, D.M. Phytolith and simulation evidence for precipitation-modulated vegetation dynamics along the East Asian monsoon margin. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2022, 590, 110842.
- (44) Li, N.N., Li, M.Z., Sack, D., Kang, W.G., Song, L.N., Yang, Y., Zong, Y.Z., Jie, D.M. Diatom evidence for mid-Holocene peatland water-table variations and their possible link to solar forcing. *Science of the Total Environment*, 2020, 725, 138272.
- (45) Niu, H.H., Dorothy, S., Gao, G.Z., Wang, J.Y., Meng, M., Jie, D.M. New evidence for Holocene vegetation variations and their drivers in an East Asian sandy land: A perspective from aeolian sand-paleosol deposits. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2023, 611, 111375.
- (46) Niu, H.H., Li, M.Z., Laurent, M., Teija, A., Chambers, F.M., Dorothy, S., Gao, G.Z., Wang J.Y., Meng, M., Liu, L.L., Song, L.N., Xu, A.Y., Jie, D.M. Mid-Late Holocene vegetation and hydrological variations in Songnen grasslands and their responses to the East Asian Summer Monsoon (EASM). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2022, 593, 110917.
- (47) Wang, J.Y., Gao, G.Z., Jie, D.M., Fang, Q., Wang, H.N., Niu, H.H., Meng, M., Zhang, G.H., Liu, Y., Song, L.N., Liu, L.L. Aeolian soils on the eastern side of the Horqin Sandy Land, China: A provenance and sedimentary environment reconstruction perspective. *Catena*, 2022, 210, 105945.
- (48) Yang, Z., Gao, G.Z., Jie, D.M., Wang, J.Y., Niu, H.H., Liu, Z.P., Meng, M., Song, L.N., Chen, N.K., Wei, Y.X., Yu, J.H. Holocene vegetation dynamics of Horqin Sandy Land in northern China inferred from the phytolith record of a sand-paleosol section. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 2023, 622, 111571.
- (49) Niu, H.H., Sun, Y.H., Wang, J.Y., Marquer L., Jet Vessies; Dorothy, S., Frank, C.M., Jie, D.M. Drivers of land cover and plant compositional changes in Northeast China since the mid-Holocene: Climate versus human activities. *Journal of archaeological science*, 2024, 163, 105938.
- (50) Wang, J.Y., Sun, L.N., Fang, Q., Fu, J.X., Liu, B.J., Liu, Y., Kong, X.M., Niu, H.H., Gao, G.Z., Meng, M., Jie, D.M. Phytolith evidence for early agriculture in the East Liao River Basin, Northeast China. *Archaeological and Anthropological Sciences*, 2021, 13, 156.
- (51) Leng, C.C., Tang, Z.W., Zhang, W., Jie, D.M., Wang, H.N., Gao, G.Z., Li, D.H., Li, N.N., Wang, J.Y., Shi, J.C., Liu, B.J., Liu, X., Bao, T. Response of prehistoric human activity to environmental changes since 7,000 cal yr BP in Nenjiang River Basin, northeast China. *Quaternary International*, 2019, 507, 74–83.
- (52) Meng, M., Jie, D.M., Gao, G.Z., Gao, T., Xu, S.H., Lian, Y.T., Xu, H.Q., Li, T.Y., Wang, J.Y., Niu, H.H., Song, L.N., Liu, L.L. Characteristics of burned phytolith from representative plants in Northeast China and implications for paleo-fire reconstruction. *Review of Palaeobotany and Palynology*, 2022, 300, 104628.
- (53) Meng, M., Harrison, S.P., Jie, D.M., Li, N.N., Liu, B.J., Li, D.H., Gao, G.Z., Niu, H.H. Climate and fire drivers of forest composition and openness in the Changbai Mountains since the Late Glacial. *Forest Ecosystems*, 2023, 10, 100127.
- (54) Meng, M., Jie, D.M., Li, D.H., Li, N.N., Liu, B.J., Gao, G.Z., Wang, J.Y., Niu, H.H., Liu, Y., Zhang, G.H. Fire history and its drivers based on peatland charcoal analysis in the Changbai Mountains, north-east China, during the last 13000 years. *International Journal of Wildland Fire*, <https://doi.org/10.1071/WF19168>.